



# Certificate of Compliance

We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on **Pressure Equipment Directive (PED 2014/68/EU)** 

Certificate No.: CE - 5564

Manufacturer : CHHAJED STEEL LIMITED

Address : REGD. OFFICE:- OFFICE NO 510/511, 5TH FLOOR, PRASAD CHAMBER,

TATA ROAD NO.02, ROXY CINEMA, OPERA HOUSE, GIRGAUM,

MUMBAI - 400 004, MAHARASHTRA, INDIA.

FACTORY:- PLOT NO. 739, ROAD NO. 6, NEAR SHEETAL HOTEL,

STEEL MARKET, KALAMBOLI NAVI MUMBAI - 410 218,

MAHARASHTRA, INDIA.

Products : S.S PIPES, SHEETS, ROUND BAR, PIPE FITTINGS, FLANGES,

C.S & A.S PIPES, FITTINGS, FLANGES, COPPER & BRASS, ALUMINIUM, FERROUS & NONFERROUS MATERIALS.

## Complies with the requirements applicable to it

The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on Pressure Equipment Directive (PED 2014/68/EU)This certificate is issued under the following conditions:

- It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
- 2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
- 3. The certificate validity is conditioned by positive results or surveillance audits. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of test report of one sample of above mentioned product. It does not imply an assessment of the whole production.

### Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification

10th April 2024

1st Surveillance Audit Due

2nd Surveillance Audit Due

2nd Surveillance Audit Due

Certificate Expiry

9th April 2027

Damel ..

**Authorised Signatory** 








# **Manufacturer: CHHAJED STEEL LIMITED**

SR. NO.	PRODUCT NAME	SPECIFICATION
	STAINLESS STEE	L CARBON STEEL, AND MILD STEEL PIPES
1	STAINLESS STEEL	<b>Material Grades:</b> ASTM A312, GR. 304, 304L, 310, 316, 316L, 316Ti, 317, 321, 904L Etc.
2	CARBON STEEL	Material Grades: ASTM A106 Gr. A, B, C, etc.
3	ALLOY STEEL	<b>Material Grades:</b> ASTM A335 GR. P1, P11, P12, P22, P5, P9, P91, P92.
4	LOW TEMPERATURE SERVICES	Material Grades: ASTM A333 & A334 GR. 3, 6, 9 Etc.
5	CUPRO NICKEL SERVICES	Material Grades: CU NI 90/10, 70/30 Etc.
6	MILD STEEL	Specifications: ASME B36.19, B36.10, etc.

SR. NO.	PRODUCT NAME	SPECIFICATION
	CARBON STEEL AN	ND ALLOY STEEL PIPES
1	Cold Drawn Seamless Precision Tubes	Size Range: 6mm OD TO 141mm OD
2	CDW/CEW Tubes	Size Range: 6mm to 50.8mm OD
		WALL THICKNESS: 1mm TO 5mm
3	CRCA ERW Tubes	Size Range: 3/8" OD TO 4" OD
		WALL THICKNESS: 1mm TO 5mm

Damel ..









SR. NO.	PRODUCT NAME		SPECIFICATION
	Butt-weld Pipe Fittings		
1	180° Elbow	Mat	erial Of Construction:
2	90° Elbow	Cark	oon steel, Stainless steel, Alloy Steel, Nickel
3	45° Elbow	Mor	nel, Inconel, Hastelloy, Copper, Brass
4	Reducing Tee	Bror	nze, Titanium, Tantalum, Bismuth
5	Straight Tee	Alur	ninum, Zinc, Lead, etc.
6	Concentric Reducer	Cup	ronickel Butt Weld Pipe Fittings:
7	Eccentric Reducer	CuN	i10Fe1Mn, CuNi30Mn1Fe
8	Ball Caps	Size	Range: 1/8" NB TO 48" NB
9	Oval Caps	Thic	kness: SCH: 5s, 10s, 40s, 80s, 10, 20,
10	U bends	40, 9	STD,60,80, XS,100,120,140,160, XXS
11	<b>Custom Radius Pipe Bends</b>	Cust	com Thickness
12	Equal Cross	Sı	urface Treatment:
13	Reducing Cross	Н	ot Dip Galvanizing
14	Long Pattern Stub Ends	E	poxy & FBE Coating
15	Short Pattern Stub Ends	El	ectro Polish

SR. NO.	PRODUCT NAME	SPECIFICATION
	Forge	d Fittings
1	Forged Socket Pipe Fittings	Material of Construction: Carbon Steel, Stainless Steel
		Size Range: 1/8"~4" (DN6~DN100)
		Pressure: 3000LBS, 6000LBS, 9000LBS
2	Forged Threaded Pipe Fittings	Material of Construction: Carbon Steel, Stainless Steel
		Pressure: 2000LBS, 3000LBS, 6000LBS
		Size Range: 1/8"~4" (DN6~DN100)
3	Forged Olet	Size Range: 15 NB up to 100 NB 3000 LBS & 6000 (Sockolet / Thredolet / Nippolet / Elbolet / Insert Weldolet / Branzolet & Coupolet)
4	(i) Socketed Outlet fittings - Sockolet (ii)Threaded Outlet fittings - Threadolet	6 NB up to 600 NB (Weldolet / Sweepolet) SCH 5S, 10S, 10, 20, 40S, 40, STD, 60, 80S, 80, XS, 100, 120, 140, 160 & XXS.
5	(iii) Welded Outlet fittings - Weldolets (iv) Nippled Outlet fittings - Nippolet	<b>Pressure:</b> 2000 lbs, 3000 lbs, 6000 lbs, 9000 lbs





# **Authorised Signatory**





SR. NO.	PRODUCT NAME	SPECIFICATION	
	FLANGES		
1	Slip-On Flange	Material Of Construction: Carbon steel: A105, SS400, SF440 RST37.2, S235JRG2, P250GH, C22.8	
2	Blind Flange	Stainless Steel: F304, F304L, F316, F316L, 316Ti, Copper etc.	
3	Weld Neck Flange	Size: 1/2-78 inch (DN15-DN2000)	
4	Lap Joint Flange	<b>Pressure:</b> Class 150, 300, 600, 1500, 2500, PN6, PN10, PN16,PN25, PN40, PN64, PN100, PN160	
5	Threaded Flange	Packing: No Fumigate or Fumigate Plywood/Wood Pallet orCase	
6	Socket weld Flange	<b>Surface Treatment:</b> Anti-rust Oil, Transparent/Yellow/BlackAnti-rust Paint, Zinc, Hot dipped Galvanized.	
7	Orifice Flange	Usage: Oil Field, Offshore, Water System, Shipbuilding,	
8	Spectacle Blind Flange	Natural Gas, Electric Power, Pipe Projects etc.	

Damel ..

Authorised Signatory








SR. NO.	PRODUCT NAME / TYPE	SPECIFICATION
1	Weld Neck Flanges	Product Structure
2	Long Weld Neck Flanges	Standard Specification for Forged Flanges
3	Slip On Flanges	<b>Dimensions:</b> ANSI B16.5, ANSI B16.47 Series A & B, MSS SP44,ASA, API-605, AWWA, Custom Drawings
4	Blind Flanges (Blrf)	Size: 1/2" (15 NB) to 48" (1200NB)
5	Socket Weld Flanges	Class: 150 LBS, 300 LBS, 600 LBS, 900 LBS, 1500 LBS, 2500 LBS, DIN
6	Threaded / Screwed Flanges	Standard ND-6,10, 16, 25, 40 Etc. <b>DIN:</b> DIN2527, DIN2566, DIN2573, DIN2576, DIN2641, DIN2642,
7	Lap Joint Flanges	DIN2655, DIN2656, DIN2627, DIN2628, DIN2629, DIN 2631,
8	Plate Flanges	DIN2632, DIN2633, DIN2634, DIN2635, DIN2636, DIN2637,
9	Reducing Flanges	DIN2638, DIN2673 BS: BS4504, BS4504, BS1560, BS10  Flange Face Type: Flat Face (FF), Raised Face (RF), Ring Type Joint
10	DIN Flanges	(RTJ)
11	BS 10 Flanges	Material & Grades of Forged Flanges:
12	Male & Female Flanges	Stainless Steel Forged Flanges: ASTM A 182, A 240 F 304, 304L,
13	Raised Face Flanges	─ 304H, 316, 316L, 316Ti, 310, 310S, 321, 321H, 317, 347, 347H, 904L
14	Ring Type Joint Flanges (Rtj)	<b>Duplex &amp; Super Duplex Steel Forged Flanges:</b> ASTM / ASME A/SA 182 F 44, F 45, F51, F 53, F 55, F 60, F 61
15	Spectacle Blind Flange	Carbon Steel Forged Flanges: ASTM / ASME A/SA 105 ASTM /
16	Orifice Flange	ASME A 350, ASTM A 181 LF 2 / A516 Gr.70, A36, A694 F42, F46, F52, F60, F65, F706
		<b>Low Temperature Carbon Steel Forged Flanges:</b> ASTM A350, LF2, LF3 CL.1, CL.2
		<b>Alloy Steel Forged Flanges:</b> ASTM / ASME A/SA 182 & A 387 F1,F5, F9, F11, F12, F22, F91
		<b>Copper Alloy Steel Forged Flanges:</b> ASTM SB 61, SB62, SB151, SB152 UNS No. C 70600 (Cu-Ni 90/10), C 71500
		(Cu-Ni 70/30), UNS No. C 10100, 10200, 10300, 10800, 12000, 12200
		Nickel Alloy Forged Flanges: ASTM SB564, SB160, SB472, SB162 Nickel 200 (UNS No. N02200), Nickel 201 (UNS No. N02201), Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500),
		Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825), Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625), Inconel 601 (UNS No. N06601), Hastelloy C 276 (UNS No. N10276), Alloy 20 (UNS No. N08020).











SR. NO.	PRODUCT NAME	SPECIFICATION
FASTENERS AND ANCHORS		
1	Fasteners	Material Of Construction: Stainless Steel, Carbon steel, Alloy Steel, High Nickel Alloys, Brass, Copper, Cupro Nickel etc.
2	Anchors	Material Of Construction: Stainless Steel, Carbon steel, Alloy Steel, High Nickel Alloys, Brass, Copper, Cupro Nickel etc.

SR. NO.	PRODUCT NAME	SPECIFICATION
	Ind	lustrial Valves
1 Ball valve Size Range: 1/2" to 36"		Size Range: 1/2" to 36"
2	Butterfly Valve	Material Of Construction:
		WCB, WC1, WC6, WC9, LCB, LCC, LC3, C5, C12, CF8, CF8M,
3	Globe Valve	CF3,
		CF3M, CF8C, CN7M, CD4MCu, Hastelloy, Inconel, Duplex
4	Gate Valve	Stainless Steel
5	Check Valve	13% Cr steel,304, 304L, 316, 316L, 321, 347, F51, Monel
6	Manifold Valve	Class: 150 to 1500
7	Cryogenic Valve	End Connection: Flanged, Butt-weld, Screwed,
8	Pressure Seal Valve	Socket weld



